

Revision Date 29-Apr-2015

Version 1

SAFETY DATA SHEET

1. IDENTIFICATION			
Product identifier Product Name			
Product Name	765-1232 NAPA RUST TREATMENT (PTX81773) 16 OZ		
Other means of identification			
Product Code	21154		
Synonyms	None		
Recommended use of the chemical	and restrictions on use		
Recommended Use	Rust preventative		
Uses advised against	No information available		
Details of the supplier of the safety	data sheet		
Manufacturer Address	Distributor		
ITW Permatex	ITW Permatex Canada		
10 Columbus Blvd.	35 Brownridge Road, Unit 1		
Hartford, CT 06106 USA			
	Telephone: (800) 924-6994		
Company Phone Number	1-87-Permatex		
	(877) 376-2839		
24 Hour Emergency Phone Number	Chem-Tel: 800-255-3924		
	International Emergency:		
	00+1+ 813-248-0585		
	Contract Number: MIS0003453		
E-mail address	mail@permatex.com		
	2. HAZARDS IDENTIFICATION		

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label elements

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance White

Physical state Liquid

Odor Mild

Hazards not otherwise classified (HNOC) Not applicable

Other Information

Not applicable.

Unknown acute toxicity

37.1403% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
WATER	7732-18-5	30 - 60	*
VINYLIDENE-ACRYLIC COPOLYMER (MIXTURE)	_	15 - 40	*
BARIUM SULFATE	7727-43-7	5 - 10	*
PROPYLENE GLYCOL	57-55-6	1 - 5	*
2-BUTOXYETHANOL	111-76-2	1 - 5	*
ORGANIC ACID	1401-55-4	1 - 5	*

'The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures		
General advice	Get medical advice/attention if you feel unwell.	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Wash contaminated clothing before reuse.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.	
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effe	ects, both acute and delayed	
Symptoms	See section 2 for more information.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable extinguishing media None.

Specific hazards arising from the chemical None in particular.

Explosion data Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin Use personal protective equipment as required.		
Environmental precautions			
Environmental precautions	Do not flush into surface water or sanitary sewer system. See Section 12 for additional ecological information.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep from freezing.		
Incompatible materials	Strong oxidizing agents, Bases		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
BARIUM SULFATE	TWA: 5 mg/m ³ inhalable fraction,	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
7727-43-7	particulate matter containing no	TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ respirable dust
	asbestos and <1% crystalline silica	(vacated) TWA: 10 mg/m ³ total dust	
		(vacated) TWA: 5 mg/m ³ respirable	
		fraction	
2-BUTOXYETHANOL	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	
		(vacated) S*	
		S*	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls	Showers Eyewash stations Ventilation systems
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor	Liquid White Mild	
Odor threshold	No information available	
Property	Values_	Remarks • Method
pH	2.4-3.5	
Melting point / freezing point	No information available	
Boiling point / boiling range	100 °C / 212 °F	
Flash point	None	Destad a sector to 1
Evaporation rate	<1	Butyl acetate = 1
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	24 mm Hg	A:- 1
Vapor density	>1 1.22	Air = 1
Relative density		
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	
Other Information		
Softening point	No information available	
Molecular weight	No information available	
VOC Content (%)	2.0%	
Density	No information available	
Bulk density	No information available	
10. STABILITY AND REACTI	VITY	

Page 4/8

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Excessive heat.

Incompatible materials

Strong oxidizing agents, Bases

Hazardous Decomposition Products

Carbon oxides Hydrogen chloride

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
WATER 7732-18-5	> 90 mL/kg (Rat)	-	-
PROPYLENE GLYCOL 57-55-6	= 20000 mg/kg (Rat)	= 20800 mg/kg (Rabbit)	-
2-BUTOXYETHANOL 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg(Rabbit)	= 450 ppm (Rat)4 h
ORGANIC ACID 1401-55-4	= 2260 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No informati	on available. on available. Iow indicates whether each	agency has listed any ing	gredient as a carcinogen.
Chemical Name	ACGIH IARC NTP OSHA			
2-BUTOXYETHANOL 111-76-2	A3	Group 3	-	-
ORGANIC ACID 1401-55-4	-	Group 3	-	-
A3 - Animal Carcinogen	erence of Governmental In	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

IARC (International Agency for Research on Cancer) Not classifiable as a human carcinogen

Chronic toxicity

May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.

Target Organ Effects	Blood, Central nervous system, Eyes, Hematopoietic System, kidney, Liver, Respiratory system, Skin.
The following values are calculated	I based on chapter 3.1 of the GHS document
ATEmix (oral)	2599 mg/kg
ATEmix (dermal)	32766 mg/kg
ATEmix (inhalation-dust/mist)	8.1 mg/l
ATEmix (inhalation-vapor)	14113 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

47.7188% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
PROPYLENE GLYCOL 57-55-6	19000: 96 h Pseudokirchneriella subcapitata mg/L EC50	51600: 96 h Oncorhynchus mykiss mg/L LC50 static 41 - 47: 96 h Oncorhynchus mykiss mL/L LC50 static 51400: 96 h Pimephales promelas mg/L LC50 static 710: 96 h Pimephales promelas mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna mg/L EC50
2-BUTOXYETHANOL 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50
ORGANIC ACID 1401-55-4	-	37: 96 h Gambusia affinis mg/L LC50	-

Persistence and degradability

No information available.

Bioaccumulation

No information available.

<u>Mobility</u>

No information available.

Chemical Name	Partition coefficient	
2-BUTOXYETHANOL	0.81	
111-76-2		

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
BARIUM SULFATE	Toxic soluble
7727-43-7	

14. TRANSPORT INFORMATION

DOT_ Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG_ Proper shipping name:	Not regulated

15. REGULATORY INFORMATION

	-
International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Not Listed.
ENCS	Not Listed.
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Not Listed.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
BARIUM SULFATE - 7727-43-7	1.0
2-BUTOXYETHANOL - 111-76-2	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
BARIUM SULFATE 7727-43-7	Х	X	Х
PROPYLENE GLYCOL 57-55-6	Х	-	Х
2-BUTOXYETHANOL 111-76-2	Х	X	Х
SODIUM SULFATE 7757-82-6	-	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA	Health hazards 2	Flammability 0	Instability 0	-
HMIS	Health hazards 2	Flammability 0	Physical hazards 0	Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date 29-Apr-2015

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet